







Cressi was founded, and still lives, just steps from the sea in **Genoa**. We breathe sea air in everything we do, and every one of our products is inspired by the incredible beauty of the waters we see before us.

The only way to fight pollution in the sea is to be aware and active, first hand.

# Cressi decided to take some concrete actions



Cressi is proud to announce that its Genoa factory is operating with 100% renewable energy. Alternative and renewable energy sources are crucial for the environmental health of the world's seas and for our future. The only way to fight ocean pollution and to conserve the beauty and health of the planet's oceans is to be aware and proactive. At Cressi, we decided to take action: 100% of the energy used in our Genoa factory is clean and completely green, supplied by LifeGate Energy.



In Cressi we have always focused on sustainability by orienting ourselves to the protection of the environment and especially of our seas. In 2019 our Headquarters has changed to Life Gate: Production and Offices are powered by renewable energy and today we can proudly say that our establishment is zero impact. We follow the sustainable direction on many fronts, such as in the choice of packaging materials, where we are reducing plastic and replacing it with recycled or recyclable materials. We are also very active in sponsoring events related to cleaning up the seas to ensure that future generations have our same opportunities."

Marco Cressi

# HYDRO SPORTS

COLLECTION 2022



# CRESSI WHO WE ARE

History	6
Territory	8
Headquarters	9
Net	10



# CRESSI HYDROSPORTS OUR DNA

The collection		12
Ambassadors		14
How to use the catalogue		16



# BUOYANCY AIDS FLOATATION JACKETS

Hornet 50N thermic neoprene jacket Ant 50N Nylon jacket



# RASHGUARD TECHNICAL APPAREL

68

Shield T-shirt	72
Armor shorts	74







KAYAK		
NFLATABLE BOATS		
lamaka Single 8'2"		52
lamaka Double 10'7''		52
5UP & IKayak spare parts		54



PADDLING EQUIPMENT	
Paddles	56
skeg fins	58
skeg fins spare parts	60
quid anchor	6
eashes	6
Pumps	 64
oumps spare parts	66




# BAGS & BACKPACK EQUIPMENT TRANSPORTING Tera, Penta, Exa backpacks 5pidy dry deckapack 25L Freezy dry coolerbag 15L Float Case - floating dry phone case 82



Floating keychain 83	BRAND SUPPORT FOR SHOPS & EVENTS		
	Floating keychain	83	
Cressi Hydrosprots totem 83	Cressi Hydrosprots totem	83	
ISUP materials book 83	ISUP materials book	83	
Banners & Flags 84	Banners & Flags	84	


# / HISTORY WE

# ARE FAMILY



# 1938

Brothers Egidio and Nanni Cressi start to handcraft the first masks and spearfishing guns. These are the origins of Cressi, the oldest scuba diving equipment company worldwide.



## 1943

The first Cressi mask, The Sirena, was hand crafted in 1943. It remained in the catalogue, with various updates, for more than 30 years.

# 1946

The Cressi company is officially founded in Genova, Italy.

# 1947

In 1947 the first oxygen rebreather was produced; Aro AR47. It was already highly advanced and fitted with sophisticated technical solutions, like the condensation receptacle.



Pinocchio Mask, which makes equalization possible. It is a major innovation in the early'50s. It is the most famous and most sold mask in the world's history, and it is still included in the catalogue.



# 1953

Rondine Fins - Also in the field of fins, Cressi invented the model that has inspired all other manufacturers, the first floating model in the world.

# 1957

Cressi athlete Mario Catalani wins the first spearfishing World championship and get the gold medal in Jugoslavia.



# 1965

Cressi opened one of the first workshops that specialized in producing optical masks. Thanks to Cressi, even people with visual defects could now get full enjoyment of the underwater universe.



Equi-vest - In 1970, Cressi was the first manufacturer in the world to produce Equi-Vest, a futuristic jacket that became one with the scuba tank, supplied by a hose that drew air directly from the first stage. This was the first incarnation of the modern BC.

# 1970

Rondine L long fins - The world leader of molding rubber fins, Cressi developed the Rondine L long fins, which enabled Jacques Mayol to go onto achieve his astonishing free ping records.

# 1979

Fins range - Alongside the various rubber fin models, a futuristic model was presented with a reinforced nylon blade, called the Rondine Gara, a fin that thirty years down the line is still going strong, and has been adopted by world class free pers and spearfishermen the world over.





1983

Jacques Mayol, the first man in the world to challenge the 100m barrier. He reached a depth of 105 metres. The episode has gone down in history, the record was obtained in the waters of the island of Elba in 1983.

# 1988

Apache Arbalète - Cressi produced a complete range of Arbalete spearguns to join the pneumatic guns, called the Apache, which very soon became the Champion speargun in the world.


### 1989

Cressi athlete Renzo Mazzarri wins the spearfishing world title in Italy.



# 1990

Cressi continues its international expansion and the products are by now distributed in over 90 countries world wide.



# 1999

Cressi Athlete Umberto Pelizzari sets the freeping ""No Limits Absolute Variable Weight"" World Record in Portofino (Italy) reaching the depth of 150 meters.



Big Eyes was the first mask in the world with raked lenses in an upside-down teardrop shape, an innovative form that gives the per a complete view of all the

equipment worn. They became the most widely copied and imitated mask in the world, a gratifying appreciation of how far ahead Cressi is in the design of its products.



The Leonardo dive computer watch is introduced, the first of the products designed in-house by Cressi Elettronica in order to guarantee optimum quality, safety and reliability.

## 2013

The French freediving champion Guillaume Néry becomes a Cressi product endorser. The Giotto dive computer watch is introduced; it processes the data from repeat multi-day dives and dives with gas mixtures and also benefits from the Cressi RGBM algorithm. The Tracina wetsuit for spearfishing is introduced in a new and exclusive camouflage Dark Digital Specter Pat Cressi.





### 2021

Hydrosports is the result of Cressi's experience, consisting of tradition, innovation and quality, since 1946. With its close relationship to the sea environment, the Cressi team has been able to develop this new collection in response to the direct needs it encountered in practice and through water tests on its products.



The Cressi company is still entirely owned by the Cressi family, which carries on with the same passion, the work started by brothers Nanni and Egidio Cressi. Its spirit lies in the manufacturing tradition, with a clear preference for the conception and realisation of its products in-house, from the initial design through to the smallest details. Cressi focuses on those who love all facets of the aquatic world. The company has never exaggerated with successful products on the market, but has instead always invested in research and development to the benefit of quality and reliability, the evolution of materials.

# **OUR NUMBERS**

75 YEARS OF EXPERIENCE
7 BRANCHES AROUND THE WORLD
SALES IN 100 COUNTRIES WORLDWIDE
100 PATENTS
11 TIME SPEARFISHING WORLD CHAMPION
7.000 REFERENCES


UNIOUE STYLE

# LIGURIA. OUR LAND, OUR SEA

It was to fish in the depths of Portofino and San Fruttuoso that, just before the Second World War, a group of friends thought of new equipments. Situated between the French border and Tuscany, Liguria is one of the smallest regions in Italy. The Italian riviera is reflected in the blue Mediterranean Sea, but is also surrounded by mountains that drop sheer into the sea. Vegetation forms the backdrop to some of the country's most popular and well-known seaside resorts.

The coasts are generally high, rocky, jagged, especially in the Riviera di Levante, while in the Ponente there is an almost perfect alternation between sheer cliffs and sandy beaches.

It couldn't be any other way, the strong passion for the sea finds its place in a unique setting with depths to explore.



Antonio Cressi

# "I'M PROUD TO STILL MANUFACTURE IN ITALY OUR MOST STRATEGIC PRODUCTS."

**ANTONIO CRESSI** 









# THE CRESSI HEADQUARTERS


In 1989, the company was enlarged, moving it to Via Adamoli, along the Bisagno valley in Genoa. And then came the electronics department. Since 2008 we have created a research and development department for this sector and so we produce directly the many control instruments that are now used during diving. With 150 employees and four foreign

subsidiaries, Cressi is now the second brand on the Italian market and the fourth on the world market, with exports accounting for 80% of turnover.

### **BUT THE ONLY ONE STILL RUN BY A FAMILY**

# WHERE **WORLDWIDE**

Our headquarters is based in Genoa, and we also have seven branches: USA, Mexico, Brazil, France, Spain, China and Thailand. Part of our production is in Hungary, as well as in Italy. We also have several trusted and selected suppliers in different countries in Asia. We have around 10,000 shops all over the world, and our products are sold in over 100 countries.



# **CRESSI ITALY HEADQUARTERS** Cressi Sub S.P.A.

Via G. Adamoli, 501 16165 Genova - Italy Tel. +39 010 830 791



# CRESSI U.S.A. Cressi Sub U.S.A.

3 Rosol Lane, Saddle Brook - NJ 07663 - USA

Phone: (800) 338 9143 Phone: (201) 594 1450



# CRESSI ESPAÑA

Cressi-Sub España S.A.


NIF: A60130978 - C/Castellassa, 24 Nave 3, Poligono Can Petit 08227 Terrassa Barcelona - Spain Tel. +34 937 841 888



# **CRESSI FRANCE**

Cressi Sub France

Espace La Gaude, 9565 Route De Saint Laurent 06610 La Gaude - France Tel. +33 049 329 0318





# **CRESSI MEXICO** Cressiwater S.A.P.I De C.V.

Central de Abastos, Carretera - Cancun-Aeropuerto km 17, Cancun Quintana Roo. C.P.77565 - Mexico, VAT NO.CRE161110812 Phone: +52 1 554 162-2052



# **CRESSI BRASIL**

### Cressi Brasil COM. MAT. ESP. LTDA

Avenida Padre Anchieta, 175 - Jordanópolis, São Bernardo do Campo SP, 09891-420 CNPJ: 35.112.958/0001-59



# **CRESSI THAILAND**

# Cressi South East Asia Ltd

135/6-7 Moo 4 - Patak Road, Tambon Rawai Amphur Mueang, Phuket - Thailand 83130 Mobile: +66 (0) 643971234



# **CRESSI CHINA**

# Cressi China Watersports Products Co.,Ltd

No.8 Nanhe Road Kunshan City - Jiangsu province, China Phone 86 0512 3668 0846#812

# CRESSI HYDROSPORTS 2022 COLLECTION

Hydrosports is the result of Cressi's experience, consisting of tradition, innovation and quality, since 1946.

Today, with this new line of products, Cressi seeks to bring its passion above the surface of the sea too.

With its close relationship to this environment, the Cressi team has been able to develop this new collection in response to the direct needs it encountered in practice and through water tests on its products:

Can you go on holiday with a lightweight SUP?

Is it possible to combine a session at sea with a passion for freediving or fishing?

Wouldn't it be nice to admire the sea bed from the SUP?

Is it possible to achieve high performance on an inflatable SUP?

Cressi Hydrosport aims to answer these and other questions with this catalog: a guide designed to help you choose the best equipment for your needs.

Start exploring with Cressi Hydrosports.









# **LUCA TIXI**

# Professional Kayak & SUP instructor Portofino, Italy

I was born and raised in Recco, at the gates of the Portofino Park (Liguria). I remember spending my childhood among the trails of the park and the coasts of its marine reserve: the most spectacular playground that a kid can desire! At the time of high school, in a period of environmental militancy and hermitage on the Portofino mountain, the enlightenment arrives: I understand that my job will be to bring people into nature! At the age of 17 I became a kayak instructor and after graduating in Marine Environmental Sciences at the University of Genoa, I founded Outdoor Portofino.

outdoorportofino


# **LUCA DELLA SANTA**

Professional Paddle Board Instructor Fort Lauderdale, FL

I was raised on the beaches of North Carolina and South Florida, where my love for the ocean began. Growing up, I was fishing, diving, or surfing any chance I could get. With my love for the ocean and wanting to experience it in different ways, I convinced my parents to get me my first paddle board at age 13 and was immediately hooked. Years later, I became a paddle board instructor in college and began to teach lessons and take customers on paddle board tours. Since then, I have continued to use my knowledge, skills, and passion for the sport to help teach and grow the paddle boarding industry in the best way possible.

(O) erickacarrera





# SABRINA GIORDANO

Professional YOGA SUP instructor *Genova, Italy* 

Sabrina is a young and passionate Yoga teacher, she loves to explore movements of the body in new positions and dimensions. On SUP board she discovered a new approach, where the focus becomes the balance between physical and mental status, breathing between water and sky.

(O) \_\_\_\_\_.sabri.\_\_\_\_


# **IGOR D'INDIA**

Adventure Filmmaker Milano, Italy

Igor has been able to combine his passion for outdoor adventure and marine conservation with his training in underwater filmmaking, camera drone pilot operation and advanced open water diving to document the stories of extreme sports athletes and outdoor brands. He is deeply committed to participating in the global community of conservationists who are fighting to protect the ocean.

(O) igordindia






# **ISUP CATALOG**A COMPARING TOOL

The Cressi Hydrosports catalog is design to describe as best as possible each boards features, such as materials, construction, ability scores and box/set contents.

This catalog collects all the informations to let you find the best suitable products to your need in order to having the best experiences on water.



Ø	Speed
ts	Maneuverability
₿	Portability

Stiffness

Stability

### Abilities chart

On this graph you can quickly see the ability scores of each Cressi Hydrosports SUP boards.



# **Packaging**Packaging picture

and box content list



# Comparison table

At the end of the ISUP section you can find the comparison table between all the tables in the catalog. On this double page you can have an overview of the entire Cressi Hydrosports ISUP collection.

# Human size comparison

Thanks to this visualization, you can immediately see the size of the SUP, compared to a human figure of 180 cm in height.





# THE SHAPES OF THE COLLECTION

The shapes of the SUP Cressi Hydrosports 2022 are designed to combine aesthetics and functionality:

**All Round:** easy to handle and stable, ideal for all levels of experience and sea conditions.

**Spear:** highly hydrodynamic, it is suitable for the more experienced and for long paddling sessions.

**Fish:** very stable and voluminous, it is suitable as a base for alternative activities.







	ALL ROUND	SPEAR	FISH
Stability	++++	+++	++++
Maneuverability	++++	+++	++++
Hydrodynamics	+++	++++	++

# FIND YOUR BOARD COMPATIBILITY CHART

This matrix is intended to help you find your SUP board according to your body measures and skill level.

Find the boards list in the cell between the cross section of row and column

	BEGINNER	INTERMEDIATE	EXPERIENCED
Weight: 40-55 kg lbs	Element 8'2" Element 9'2" Travelight 9'2" Reef 10'2" Tiger Shark 10'2" Fluid 10'2"	Element 8'2" Element 9'2" Travelight 9'2" Reef 10'2" Tiger Shark 10'2" Fluid 10'2" Jet 11'2"	Travelight 9'2" Reef 10'2" Tiger Shark 10'2" Fluid 10'2" Jet 11'2" Fury 12'2"
Weight: 55 - 70 kg lbs	Element 9'2" Element 10'2" Reef 10'2" Tiger Shark 10'2" Fluid 10'2" Solid 10'6"	Element 9'2" Element 10'2" Travelight 9'2" Reef 10'2" Tiger Shark 10'2" Fluid 10'2" Jet 11'2" Solid 10'6"	Travelight 9'2" Reef 10'2" Tiger Shark 10'2" Fluid 10'2" Jet 11'2" Fury 12'2" Solid 10'6"
Weight: 70 - 85 kg lbs	Element 10'2" Reef 10'2" Tiger Shark 10'2" Fluid 10'2" Solid 10'6"	Element 9'2" Element 10'2" Travelight 9'2" Reef 10'2" Tiger Shark 10'2" Fluid 10'2" Jet 11'2" Solid 10'6"	Travelight 9'2" Reef 10'2" Tiger Shark 10'2" Fluid 10'2" Jet 11'2" Fury 12'2' Solid 10'6"
Weight: 85 - 100 kg lbs	Element 10'2" Reef 10'2" Tiger Shark 10'2" Fluid 10'2" Solid 10'6"	Element 10'2" Reef 10'2" Tiger Shark 10'2" Fluid 10'2" Jet 11'2" Solid 10'6"	Travelight 9'2" Reef 10'2" Tiger Shark 10'2" Fluid 10'2" Jet 11'2" Fury 12'2" Solid 10'6"
Weight: >100 kg >220 lbs	Element 10'2" Reef 10'2" Tiger Shark 10'2" Fluid 10'2" Solid 10'6"	Element 10'2" Reef 10'2" Tiger Shark 10'2" Fluid 10'2" Solid 10'6"	Reef 10'2" Tiger Shark 10'2" Fluid 10'2" Fury 12'2" Solid 10'6"
Tandem: MAX 160 kg		Solid 12'2"	Solid 12'2"

EASY TO

READY-TO-USE SET

ALL ROUND SHAPE

PURE & MINIMAL

# **ELEMENT**

# **ALL ROUND ISUP SET**

Minimalism and pure lines, combined with the quality of Cressi DWF technology, give rise to a classic, no-frills inflatable SUP for paddling purists. The All Round shape, with rounded nose and flat tail, provides great maneuverability and stability. The nose rocker (curved bow) improves buoyancy by preventing the tip of the board from plunging into choppy waters, making Element perfect for sea use. The large diamond-patterned pad offers a spacious walkable area and optimal grip, even when barefoot in the water.

Element is a ready-to-use set, easy to inflate (in under 10 minutes), carry and store thanks to the practical backpack supplied: a space-saving solution equipped with all the accessories you need to go stand-up paddleboarding with peace of mind. Available in different sizes, it's suitable for all levels of experience and build.







# **ELEMENT SMALL 8'2"**

Length	250 cm	8'2"
Width	71 cm	28"
Thickness	15 cm	6"
Volume	210 l	
Max press.	15 PSI	1 BAR
Inflation	5 minutes	
Max load	80 kg	176 lbs
Board weight	7,5 kg (± 0,2)	16,5 lbs
Set weight	11 kg (± 0,2)	24 lbs
Technology	DWF	
N° Chambers	1	
Fin Box	Mini Quick Fin Box	
Fin	Mini Quick 7"	
Valve	HP Valve	
Box dimensions	40x88x25 cm	


# **ELEMENT 9'2"**

Length	280 cm	9'2"
Width	76 cm	30"
Thickness	15 cm	6"
Volume	250 l	
Max press.	15 PSI	1 BAR
Inflation	6 minutes	
Max load	100 kg	220 lbs
Board weight	8 kg (± 0,2)	17,5 lbs
Set weight	12 kg (± 0,2)	26,5 lbs
Technology	DWF	
N° Chambers	1	
Fin Box	US Fin Box	
Fin	US 8"	
Valve	HP Valve	
Box dimensions	40x88x25 cm	

# **ELEMENT 10'2"**

Length	310 cm	10'2"
Width	81 cm	32"
Thickness	15 cm	6"
Volume	300 l	
Max press.	15 PSI	1 BAR
Inflation	8 minutes	
Max load	120 kg	264 lbs
Board weight	9 kg (± 0,2)	20 lbs
Set weight	13 kg (± 0,2)	28,5 lbs
Technology	DWF	
N° Chambers	1	
Fin Box	US Fin Box	
Fin	US 8"	
Valve	HP Valve	
Box dimensions	40x88x26 cm	







PRODUCT	CODE	
ELEMENT SMALL ALL ROUND ISUP SET WHITE/AQUAMARINE 8'2"	NA000832	
ELEMENT ALL ROUND ISUP SET WHITE/PINK 9'2"	NA000934	
ELEMENT ALL ROUND ISUP SET WHITE/BLUE 10'2"	NA001032	



## ELEMENT SMALL 8'2" SET INCLUDES:

- Element ISUP 8'2" (x1)
   MOD3 Paddle (x1)
- Mini Quick Skeg Fin 7" (x1) Coiled Leash 10' (x1) EXA 120l Backpack (x1)


- · Welter Pump(x1) · Repair Kit (x1)
- · User Manual (x1)

# User Manual (x1) ELEMENT SMALL 9'2" SET INCLUDES: Element ISUP 9'2" (x1) MOD3 Paddle (x1) US Skeg Fin 8" (x1) Coiled Leash 10' (x1) EXA 120l Backpack (x1) Welter Pump(x1) Repair Kit (x1) User Manual (x1)

- · User Manual (x1)

# • User Manual (x1) ELEMENT SMALL 10'2" SET INCLUDES: • Element ISUP 10'2" (x1) • M0D3 Paddle (x1) • U5 Skeg Fin 8" (x1) • Coiled Leash 10' (x1) • EXA 1201 Backpack (x1) Molter Duran(x1)

- Welter Pump(x1)
  Repair Kit (x1)
  User Manual (x1)



# **ELEMENT**

# ISUP CONSTRUCTION

# CONSTRUCTION USED IN:

Element Small All Round 8'2" Element All Round 9'2" Element All Round 10'2"



CRESS!

Double Wall Fabric


Element boards are made with Cressi DWF (Double Wall Fabric) technology, an airtight multilayer (1) material whose internal fibers (2) give it a

> PVC 1000 D POLYESTER PVC PVC

perfectly flat and rigid surface once inflated. The double-layer rail (3) with variable thickness guarantees excellent performance during use but is easy to roll up, for a board that's durable and easy to use.

# **DWF CORE**

Weight	2700 g/sq.m	
Threads Height	150 mm	
Nominal Layers	Single	




# **BALANCE RAIL**

Thickness	1.2 mm
Nominal Layers	Double

# **DECK PAD**

Thickness	5 mm
Pattern	Diamond











OUR LIGHTEST AND MOST TRAVEL FOCUSED SUP

HIGH LIGHTNESS AND PORTABILITY

# TRAVELIGHT

# **FOLDABLE 9'2" ISUP SET**

Easy to transport, light and compact: Travelight is the Cressi Hydrosports SUP that's ideal for ravelers. The special pad design of the SUP enables it to be folded longitudinally then rolled up, thereby occupying half the space of an inflatable SUP of the same size. Travelight is made with Cressi LWF technology, our lightest and strongest construction in the Inflatable category, which minimizes its weight without affecting

The All Round shape makes the board highly

versatile and manageable for different levels of experience and build.

The set is complemented by similarly compact accessories designed ad hoc, including the small Feather pump and the MOD5 modular paddle, which lets you transport the entire set in the TERA backpack, only 50 cm tall.



PRODUCT	CODE	
TRAVELIGHT FOLDABLE ISUP SET WHITE/BLUE 9'2"	NA010980	

# **TECHNICAL FEATURES**


Length	280 cm	9'2"
Width	81 cm	32"
Thickness	15 cm	6"
Volume	280 l	
Max press.	15 PSI	1 BAR
Inflation	13 minutes	
Max load	110 kg	242 lbs
Board weight	8 kg (± 0,2)	17,5 lbs
Set weight	11 kg (± 0,2)	24 lbs
Technology	LWF	
N° Chambers	1	
Fin Box	Mini Quick Fin Box(x2)	
Fin	Mini Quick 7" (x2)	
Valve	HP Valve	
Box dimensions	40x53x26 cm	














# TRAVELIGHT ISUP 9'2" SET INCLUDES: Travelight ISUP 9'2" (x1) MOD5 Paddle (x1) Mini Quick Skeg Fin 7" (x2) Coiled Leash 10" (x1) TERA 60I Backpack (x1) Feather Pump(x1) Repair Kit (x1) User Manual (x1)



# , 1301

# **TRAVELIGHT**

# ISUP CONSTRUCTION



CRESSI


Lightweight Wall Fabric

Innovative flat-weave core (1) that minimizes the thickness of the upper and lower layer for an extremely low weight and high flexibility, allowing longitudinal folding and rolling once deflated.

It's surrounded by a sturdy rail (2) designed to compensate for the board bending and guarantee excellent performance during use.

# **LWF CORE**

Weight	2200 g/sq.m	
Threads Height	150 mm	
Nominal Layers	Single	




# **BALANCE RAIL**

Thickness	1.2 mm	
Nominal Layers	Double	

# **DECK PAD**

Thickness	5 mm
Pattern	Diamond





# REEF

# WINDOW 10'2" ISUP SET

The full snorkeling experience from above the surface: a new perspective for encountering and observing the underwater environment with maximum respect. This is Reef, the new Cressi Window ISUP with the biggest window yet. The large 34" 'fish' shape coupled with the prelaminated material have enabled us to design an

elongated window that extends from the paddling position to the bow, and thanks to the sturdy layer of Crystal Clear PVC, Reef's window offers an exceptional view of the seabed during your outing. The high buoyancy, curved bow and generous 9" drift give the board great stability, to let you comfortably admire the sea wherever you go.



PRODUCT	CODE	
REEF WINDOW WISUP SET BLUE 10'2"	NA031020	

# **TECHNICAL FEATURES**


Length	310 cm	10'2"
Width	86 cm	34"
Thickness	15 cm	6"
Volume	290 l	
Max press.	15 PSI	1 BAR
Inflation	7 minutes	
Max load	110 kg	242 lbs
Board weight	10 kg (± 0,2)	22 lbs
Set weight	14 kg (± 0,2)	31 lbs
Technology	WPLF	
N° Chambers	1	
Fin Box	US Fin Box	
Fin	US 9"	
Valve	HP Valve	
Box dimensions	40x93x28 cm	














# REEF ISUP 10'2" SET INCLUDES: Reef ISUP 10'2" (x1) MOD3 Paddle (x1) US Skeg Fin 9" (x1) Colled Leash 10' (x1) EXA 120l Backpack (x1) Welter Pump (x1) Repair Kit (x1) User Manual (x1)



# REEF

# ISUP CONSTRUCTION




cressi Window PLF The largest window of ISUP category, designed thanks to Cressi's experience in developing boards with opened structure. Made with a thick layer of transparent PVC (1) with perimeter

reinforcement, designed to avoid deformations and structural deficits. Moreover, thanks to the pre-laminated (2) material, made without glue, and the double-layer rail (3), Reef offers the maximum viewing area and comfort while paddling.

# **PLF CORE**

Weight	3100 g/sq.m
Threads Height	150 mm
Nominal Layers	Double



# **BALANCE RAIL**


Thickness	1.2 mm
Nominal Layers	Double


# **DECK PAD**

Thickness	5 mm
Pattern	Diamond

# **WINDOW**

Thickness	1.2 mm
Nominal Layers	Single









# **ALL ROUND 10'2" ISUP SET**

Our most versatile, safe and performing board in all aquatic conditions and activities, suitable for learners as well as the most experienced, ideal for sea excursions in calm or choppy waters, through to yoga and fitness.

Thanks to Cressi Double Chamber PLF technology, this inflatable board also combines exceptional structural stiffness with the safety of a second integrated air chamber.

Stable and maneuverable thanks to its generous thickness (15 cm) and wide width (81 cm), Fluid is the ideal SUP to ensure maximum fun at all times. Equipped with an 8" fin

the classic All Round shape with a rounded and curved bow transmits a linear and gentle feeling of paddling. The diamond-patterned pad always ensures a firm

grip, even with bare feet in wet conditions.

Fluid is a set complete with all the accessories you need to practice, and thanks to the supplied pump it inflates in under 10 minutes.

# CRESSI


PRODUCT	CODE	
FLUID ALL ROUND DC ISUP SET BLUE 10'2"	NA021020	

# **TECHNICAL FEATURES**

Length	310 cm	10'2"
Width	81 cm	32"
Thickness	15 cm	6"
Volume	300 l	
Max press.	15 PSI	1 BAR
Inflation	8 minutes	
Max load	120 kg	264 lbs
Board weight	10 kg (± 0,2)	22 lbs
Set weight	14 kg (± 0,2)	31 lbs
Technology	DC PLF	
N° Chambers	2	
Fin Box	US Fin Box	
Fin	US 8"	
Valve	HP Valve (x2)	
Box dimensions	40x88x28 cm	











# FLUID ISUP 10'2" SET INCLUDES: Fluid ISUP 10'2" (x1) MOD3 Paddle(x1) US Skeg Fin 8" (x1) Coiled Leash 10' (x1) EXA 120L Backpack (x1) Welter Pump (x1) Repair Kit (x1) User Manual (x1)








# / ISUP

# **FLUID**

# ISUP CONSTRUCTION

# CONSTRUCTION USED IN:

Fluid All Round 10'2" Jet Cruise 11'2" Fury Touring 12'2"



CRESSI Double Chamber PLF Double air chamber core made of pre-laminated (1) composite material without gluing, for a board with exceptional performance in terms of


PVC

500 D POLYESTER

stiffness/weight ratio and stability. The central chamber (2) with dedicated valve ensures improved performance plus greater safety during use in the event of air leaks caused by accidental punctures.

# **PLF CORE**

Weight	3100 g/sq.m	
Threads Height	150 mm	
Nominal Layers	Double	




# **BALANCE RAIL**

Thickness	1.2 mm
Nominal Layers	Double

# **DECK PAD**

Thickness	5 mm
Pattern	Diamond



# ONE FOR ALL ALL IN ONE



HYDRODYNAMIC SPEAR SHAPE

DOUBLE CHAMBER ISUP BOARD

MAX SAFETY HIGH STIFFNESS

READY-TO-USE SET



# **CRUISE 11'2" ISUP SET**

CRESSI

Jet is the Cressi Hydrosports ISUP designed for cruising (medium and long time paddling activities). His "spear" shape combined to the 11'2" lenght gives to the board a great hydrodinamic performance keeping at the same time a good roll stability thanks to the 30" width and the US 9" fin supplied. The board profile has a nose rocker to improove

floating on the sea waves and ripples, avoding the bow sinking.

Jet is made with Cressi double chamber technology that guarantee floating in case of accidental punctures then a better maritine safety; the inner "core" chamber also gives at the board, a great stiffness that enhance paddling thrust.

## JET ISUP 11'2" SET INCLUDES:

- JET ISUP 11'2" SET INCLUD

  Jet ISUP 11'2" (x1)

  MOD3 Paddle (x1)

  US Skeg Fin 9" (x1)

  Coiled Leash 10' (x1)

  EXA 120l Backpack (x1)

  Welter Pump (x1)

  Repair Kit (x1)

  User Manual (x1)






PRODUCT	CODE	
JET CRUISE DC ISUP SET TEAL 11'2"	NA061163	

# **TECHNICAL FEATURES**

Length	341 cm	11'2"
Width	81 cm	32"
Thickness	15 cm	6"
Volume	300 l	
Max press.	15 PSI	1 BAR
Inflation	8 minutes	
Max load	100 kg	264 lbs
Board weight	10,5 kg (± 0,2)	23 lbs
Set weight	14,5 kg (± 0,2)	32 lbs
Technology	DC PLF	
N° Chambers	2	
Fin Box	US Fin Box	
Fin	US 9"	
Valve	HP Valve (x2)	





# CONSTRUCTION USED IN:

Fluid All Round 10'2" Jet Cruise 11'2" Fury Touring 12'2"

# **ISUP CONSTRUCTION**



CRESSI


**Double Chamber** PLF

Double air chamber core made of pre-laminated (1) composite material without gluing, for a board with exceptional performance in terms of

stiffness/weight ratio and stability. The central chamber (2) with dedicated valve ensures improved performance plus greater safety during use in the event of air leaks caused by accidental punctures.

# **PLF CORE**

Weight	3100 g/sq.m
Threads Height	150 mm
Nominal Layers	Double




# **BALANCE RAIL**

Thickness	1.2 mm
Nominal Layers	Double

# **DECK PAD**

Thickness	5 mm	
Pattern	Diamond	





MOST VERSATILE AN

STORAGE HATCH

HIGH STABILITY FISH SHAPE

READY-TO-US

# **TIGER SHARK**

# **MULTITASK 10'2" ISUP SET**

Can the pleasure of stand-up paddleboarding be combined with a passion for spearfishing and freediving? Tiger Shark was born from this question and is

Tiger Shark was born from this question and is designed to offer new possibilities for enjoying these activities.

The large and spacious 'fish' shape is ideal for providing stability onboard when preparing and setting up the equipment.

Thanks to Cressi Storage Hatch PLF technology, this board makes it easy to transport equipment, with a large and practical locker in the bow equipped with a cover mesh pocket for storing

items like ropes, fins or the catch itself.

The supplied adjustable strap with D-Ring can be passed under the board to connect the ascent line during diving and stored while paddling, so as not to affect hydrodynamic performance.

The bow is equipped with a base and shaft with a diving flag, while the D-Rings are equipped with

The bow is equipped with a base and shaft with a diving flag, while the D-Rings are equipped with adjustable elastic bands to attach spearguns and rods to the side hooks, so as not to take up space onboard and always offer a view of the equipment. The practical bungee elastic cords are positioned at the stern to provide an additional cargo area.



PRODUCT	CODE	
TIGER SHARK MULTITASK ISUP SET AQUAMARINE CAMO 10'2"	NA041025	


# **TECHNICAL FEATURES**

Length	310 cm	10'2"
Width	86 cm	34"
Thickness	15 cm	6"
Volume	320 l	
Max press.	15 PSI	1 BAR
Inflation	8 minutes	
Max load	130 kg	286 lbs
Board weight	10 kg (± 0,2)	22 lbs
Set weight	14 kg (± 0,2)	31 lbs
Technology	SH PLF	
N° Chambers	1	
Fin Box	US Fin Box	
Fin	US 9"	
Valve	HP Valve	
Box dimensions	40x93x28 cm	















# TIGERSHARK ISUP 10'2" SET INCLUDES: Tigershark ISUP 10'2" (x1) MOD3 Paddle (x1) US Skeg Fin 9" (x1) Coiled Leash 10' (x1) EXA 120L Backpack (x1) Wetter Pump (x1) Diver down Flag (x1) Repair Kit (x1) User Manual (x1)









# **TIGER SHARK**

### ISUP CONSTRUCTION

### CRESSI Storage Hatch PLF




high tensile strength and cover withmesh pocket (2). Prelaminated material core (3) without gluing and double-layer rail (4), for a sturdy but low-weight board offering excellent paddling performance and stability when preparing for activities onboard.



### **PLF CORE**

Weight	3100 g/sq.m	
Threads Height	150 mm	
Nominal Layers	Double	



PVC

### **BALANCE RAIL**


Thickness	1.2 mm
Nominal Layers	Double

### **DECK PAD**

Thickness	5 mm
Pattern	Diamond

### STORAGE HATCH BOTTOM

Thickness	0.9 mm
Nominal Layers	Single











CARBON PADDLE INCLUDED

# **FURY**

### **TOURING 12'2" ISUP SET**

Fury is the ISUP from Cressi Hydrosports dedicated to touring. The hydrodynamic and elongated shape, coupled with the very light Carbon paddle supplied, make this set the best one for lengthy paddleboarding sessions.

The curved bow (nose rocker) improves its buoyancy in the sea, preventing the tip from sinking into the ripples of the waves, while creating budrodynamic resistance.

hydrodynamic resistance.

The Cressi Double Chamber PLF technology maintains a highly performing structural stiffness while paddling, despite the board's length of over 12 feet, and the double air chamber guarantees greater safety in case of accidental punctures. The large 9' drift positioned far from the center of grapity halps maintain a linear traingtony cap of gravity helps maintain a linear trajectory even at low speeds, providing an advantage over long




PRODUCT	CODE	
FURY TOURING DC ISUP SET RED 12'2"	NA051280	

### **TECHNICAL FEATURES**

Length	371 cm	12'2"
Width	76 cm	30"
Thickness	15 cm	6"
Volume	300 l	
Max press.	15 PSI	1BAR
Inflation	8 minutes	
Max load	120 kg	264 lbs
Board weight	10,5 kg (± 0,2)	23 lbs
Set weight	14,5 kg (± 0,2)	32 lbs
Technology	DC PLF	
N° Chambers	2	
Fin Box	US Fin Box	
Fin	US 9"	
Valve	HP Valve (x2)	
Box dimensions	40x88x30 cm	











# FURY ISUP 12'2" SET INCLUDES: Fury ISUP 12'2" (x1) Carbon Paddle (x1) US Skeg Fin 9" (x1) Coiled Leash 10' (x1) EXA 120! Backpack (x1) Welter Pump (x1) Reapir Kit (x1) User Manual (x1)





### / ISUP

# **FURY**

### ISUP CONSTRUCTION

### CONSTRUCTION USED IN:

Fluid All Round 10'2" Jet Cruise 11'2" Fury Touring 12'2"



CRESSI

Double Chamber PLF

Double air chamber core made of pre-laminated (1) composite material without gluing, for a board with exceptional performance in terms of

stiffness/weight ratio and stability. The central chamber (2) with dedicated valve ensures improved performance plus greater safety during use in the event of air leaks caused by accidental punctures.

### **PLF CORE**

Weight	3100 g/sq.m
Threads Height	150 mm
Nominal Layers	Double

# 

### **BALANCE RAIL**

Thickness	1.2 mm
Nominal Layers	Double

### **DECK PAD**

Thickness	5 mm
Pattern	Diamond



DESIGNED FOR RENTAL ACTIVITY

REINFORCED RAIL MATERIAL

DOUBLE CHAMBER ISUP BOARD

MAX SAFETY

## **SOLID** RENTAL ISUP





### **ALL ROUND 10'6"**

Length	323 cm	10'6"
Width	81 cm	32"
Thickness	15 cm	6"
Volume	310 l	
Max press.	15 PSI	1 BAR
Inflation	8 minutes	
Max load	125 kg	275 lbs
Board weight	10,5 kg (± 0,2)	23 lbs
Set weight	11,3 kg (± 0,2)	25 lbs
Technology	DC PLF reinforc	ed
N° Chambers	2	
Fin Box	US Fin Box	
Fin	US Quick 9"	
Valve	HP Valve (x2)	
Box dimensions	40x88x18 cm	

### **TANDEM 12'2"**

Box dimensions 40x93x18 cm

Length	371 cm	12'2"	
Width	86 cm	34"	
Thickness	15 cm	6"	
Volume	400 l		
Max press.	15 PSI	1 BAR	
Inflation	10 minutes		
Max load	160 kg	352 lbs	
Board weight	13 kg (± 0,2)	28 lbs	
Set weight	14,5 kg (± 0,2)	32 lbs	
Technology	DC PLF reinford	ed	
N° Chambers	2		
Fin Box	US Fin Box (x2)		
Fin	US Quick 9" (x2	US Quick 9" (x2)	
Valve	HP Valve (x2)		

î x2

Solid is the Cressi Hydrosports SUP family designed specifically for professional rental.

The use of Double Chamber Reinforced PLF technology and triple-layer anti-abrasion rail (the most resistant and robust composition in the whole collection) guarantee maximum structural stiffness and great safety during sessions at sea.

The board is available in the All Round version with one seat and Tandem with two seats. Due to their intended professional use, the two versions of Solid have features designed to improve the experience of both the boards' end users and those who rent them. Numerous D-rings and handles are positioned along Solid's structure to facilitate hooking and transport.


Furthermore, each side features special dedicated HIN (Hull Identification Number) spaces for customized numbering by the rental center.

The US Click 9" fins supplied have a quick coupling and release system, with a variable-intensity locking system.

Each board will be accompanied by a Trailer

Each board will be accompanied by a Trailer Leash, a reinforced elastic rope with double S-shape carabiner, useful for towing and mooring.


Solid is equipped with US Quick Skeg Fin 9" with fast locking system:



Solid has 5 practical handles to facilitate transport and storage:









Thanks to the Trailer Leash supplied, it will be possible to easily and quickly connect the boards through the D-Rings positioned at the bow and stern, so as to be able to keep all the boards under control during each tours.

PRODUCT	CODE		
SOLID ALL ROUND DC ISUP GREY/FLUO 10'6"	NB011070		
SOLID TANDEM DC ISUP GREY/FLUO 12'2"	NB001270		







- SOLID 10'6" SET INCLUDES:
  Solid ISUP 12'2" (x1)
  US Quick Skeg Fin 9" (x1)
  Trailer Leash 8' (x1)

# SOLID 12'2" SET INCLUDES: Solid ISUP 12'2" (x1) US Quick Skeg Fin 9" (x2) Trailer Leash 8' (x1)



### / 130P

# **SOLID**

### ISUP CONSTRUCTION

### CONSTRUCTION USED IN:

Solid All Round 10'6" Solid Tandem 12'2"



CRESSI

### Double Chamber

PLF Reinforced

Triple-layer reinforced rail (1) with external anti-abrasion coating, for longer-lasting boards when subjected to greater stresses from prolonged use during rental.

The double air chamber core (2) made of pre-laminated material with a dedicated valve gives the user high stiffness and safety in case of air leaks caused by accidental punctures.

### **PLF CORE**

Weight	3100 g/sq.m
Threads Height	150 mm
Nominal Layers	Double

# 

### RAINFORCED RAIL

Thickness	1.9 mm
Nominal Layers	Triple

### **DECK PAD**

Thickness	5 mm
Pattern	Diamond







# ISUP BOARDS COMPARISON TABLES



All Round ISUP for all sea conditions and activities, suitable for beginners from 40-50 kg to intermediate 50-60 kg









Board	ELEMENT S	MALL 8'2"	ELEMENT 9	'2"	ELEMENT 10	)'2"	TRAVELIGH <sup>*</sup>	Г 9'2"	REEF 10'2"	
Code	NA000832		NA000934		NA001032		NA010980		NA031020	
Category	All Round ISU	Р	All Round ISU	Р	All Round ISUI	0	Foldable ISUP		Window ISUP	
Length	250 cm	8'2"	280 cm	9'2"	310 cm	10'2"	280 cm	9'2"	310 cm	10'2"
Width	71 cm	28"	76 cm	30"	81 cm	32"	81 cm	32"	86 cm	34"
Thickness	15 cm	6"	15 cm	6"	15 cm	6"	15 cm	6"	15 cm	6"
Volume	210 l		250 l		300 l		280 l		290 l	
Max press.	15 PSI	1 BAR	15 PSI	1 BAR	15 PSI	1 BAR	15 PSI	1 BAR	15 PSI	1 BAR
Inflation	5 minutes		6 minutes		8 minutes		13 minutes		7 minutes	
Max load	80 kg	176 lbs	100 kg	220 lbs	120 kg	264 lbs	110 kg	242 lbs	110 kg	242 lbs
Board weight	7,5 kg (± 0,2)	16,5 lbs	8 kg (± 0,2)	17,5 lbs	9 kg (± 0,2)	20 lbs	8 kg (± 0,2)	17,5 lbs	10 kg (± 0,2)	22 lbs
Set weight	11 kg (± 0,2)	24 lbs	12 kg (± 0,2)	26,5 lbs	13 kg (± 0,2)	28,5 lbs	11 kg (± 0,2)	24 lbs	14 kg (± 0,2)	31 lbs
Technology	DWF		DWF		DWF		LWF		WPLF	
N° Chambers	1		1		1		1		1	
Fin Box	Mini Quick Fin	Вох	US Fin Box		US Fin Box		Mini Quick Fin	Box (x2)	US Fin Box	
Fin	Mini Quick 7"		US 8"		US 8"		Mini Quick 7" (	×2)	US 9"	
Valve	HP Valve		HP Valve		HP Valve		HP Valve		HP Valve	
The set includes	Element ISL MOD3 Padd Mini Quick S Coiled Leasl EXA 1201 Ba Welter Pum Repair Kit (x User Manua	le (x1) 5keg Fin 7" (x1) h 10' (x1) ackpack (x1) np (x1) k1)	Element ISL MOD3 Padd US Skeg Fin Coiled Leasl EXA 1201 Ba Welter Pur Repair Kit (x User Manua	le (x1) 18" (x1) h 10' (x1) ackpack (x1) np (x1) k1)	Element ISL MOD3 Paddl US Skeg Fin Coiled Leash EXA 120l Ba Welter Pum Repair Kit (x User Manua	le (x1) 8" (x1) n 10' (x1) ckpack (x1) p (x1) 1)	Travelight IS MOD5 Paddl Mini Quick S Coiled Leash TERA 60l ba Feather Pun Repair Kit (x User Manua	le (x1) keg Fin 7" (x2) n 10' (x1) nckpack (x1) np (x1) 1)	Reef ISUP 10 MOD3 Paddl US Skeg Fin Coiled Leash EXA 1201 Ba Welter Pum Repair Kit (x User Manua	.e (x1) 9" (x1) 10" (x1) ckpack (x1) p (x1) 1)

All Round ISUP for all sea conditions and activities, suitable for beginners from 60-90 kg intermediate > 90 kg

Super compact and lightweight All Round ISUP, perfect for travel and for those who have space requirements.

ISUP with window to observe the seabed during paddling, stable and voluminous.

All Round ISUP for all sea conditions and activities, suitable for beginners from 50-70 kg to intermediate 70-80 kg

Features





Repair Kit (x1) User Manual (x1)

freediving.

ISUP with integrated locker, and laces for carrying equipment, the ideal

board for spearfishing and

All Round ISUP for all sea conditions and activities, made with double chamber

for maximum stiffness and safety.









FLUID 10'2"		TIGER SHAR	K 10'2"	JET 11'2"		FURY 12'2"		SOLID 10'6"		SOLID 12'2"	
NA021020		NA041025		NA061163		NA051280		NB011070		NB001270	
All Round ISUF	)	Multitask ISUP		Cruise ISUP		Touring ISUP		All Round ISUF	)	Tandem ISUP	
310 cm	10'2"	310 cm	10'2"	341 cm	11'2"	371 cm	12'2"	323 cm	10'6"	371 cm	12'2"
81 cm	32"	86 cm	34"	81 cm	32"	76 cm	30"	81 cm	32"	86 cm	34"
15 cm	6"	15 cm	6"	15 cm	6"	15 cm	6"	15 cm	6"	15 cm	6"
300 l		320 l		300 l		300 l		310 l		400 l	
15 PSI	1 BAR	15 PSI	1 BAR	15 PSI	1 BAR	15 PSI	1 BAR	15 PSI	1 BAR	15 PSI	1 BAR
8 minutes		8 minutes		8 minutes		8 minutes		8 minutes		10 minutes	
120 kg	264 lbs	130 kg	286 lbs	100 kg	264 lbs	120 kg	264 lbs	125 kg	275 lbs	160 kg	352 lbs
10 kg (± 0,2)	22 lbs	10 kg (± 0,2)	22 lbs	10,5 kg (± 0,2)	23 lbs	10,5 kg (± 0,2)	23 lbs	10,5 kg (± 0,2)	23 lbs	13 kg (± 0,2)	28 lbs
14 kg (± 0,2)	31 lbs	14 kg (± 0,2)	31 lbs	14,5 kg (± 0,2)	32 lbs	14,5 kg (± 0,2)	32 lbs	11,5 kg (± 0,2)	25 lbs	14,5 kg (± 0,2)	32 lbs
DC PLF		SH PLF		DC PLF		DC PLF		DC PLF reinfor	ced	DC PLF reinfor	ced
2		1		2		2		2		2	
US Fin Box		US Fin Box		US Fin Box		US Fin Box		US Fin Box		US Fin Box (x2	)
US 8"		US 9"		US 9"		US 9"		US Quick 9"		US Quick 9" (x	2)
HP Valve (x2)		HP Valve		HP Valve (x2)		HP Valve (x2)		HP Valve (x2)		H P Valve (x2)	
Fluid ISUP 1C MOD3 Paddl US Skeg Fin Coiled Leash EXA 120l Bac Welter Pum Repair Kit (x User Manual	e (x1) 8" (x1) 10' (x1) ckpack (x1) p (x1) 1)	Tigershark II MOD3 Paddl US Skeg Fin Coiled Leash EXA 120l Ba Welter Pum Diver down Repair Kit (x	e (x1) 9" (x1) 10' (x1) ckpack (x1) p (x1) Flag (x1)	Jet ISUP 11'2' MOD3 Paddl US Skeg Fin Coiled Leash EXA 120l Ba Welter Pum Repair Kit (x User Manua	le (x1) 9" (x1) 1 10' (x1) ckpack (x1) p (x1) 1)	Fury ISUP 12 Carbon padd US Skeg Fin Coiled Leash EXA 120l Ba Welter Pum Repair Kit (x User Manua	dle (x1) 9" (x1) 1 10' (x1) ckpack (x1) 1p (x1)	<ul> <li>Solid ISUP 10</li> <li>US Quick Ske</li> <li>Trailer Least</li> </ul>	eg Fin 9" (x1)	<ul> <li>Solid ISUP 12</li> <li>US Quick Ske</li> <li>Trailer Leash</li> </ul>	

Cruise ISUP for mid and long time paddling activities at sea, double

and safety.

chamber for max. stiffness

Touring ISUP for long time sea tours, made with double chamber for

maximum stiffness and

safety.

All Round ISUP designed for rental activities, made with reinforced construction:

great marine safety and product durability.

Tandem ISUP (double seat) designed for rental activities: reinforced construction to

improove safety and product durability.







READY-TO-USE

# NAMAKA

### **IKAYAK SET**

Namaka is the Cressi kayak created to explore the coasts and nature, to move silently and reach places inaccessible by sailing or swimming, with zero emissions and the utmost respect for the marine environment.

Available in two versions, single or double seat, Namaka is an inflatable kayak with excellent stability thanks to its air chambers with tubular sections, which are ideal for following the waves. Comfort is ensured by the inflatable seats that provide a raised paddling position, while the velcro strips and adjustable straps allow the lumbar support to be moved and adapted along the entire cockpit. Namaka is equipped with nylon linings at the bow and stern with splash guards, practical

bungee cords, handles to help carry it out of the water, a velcro oar holder and reinforced bottom with anti-abrasion layer.

ADJUSTABLE SEAT POSITION

Both models are ready-to-use sets, supplied with all the accessories needed for inflation and immediate use, from the pump to the paddles (two for the double and one for the single) up to the quick-hooking fins.



### SINGLE SEAT 8'2"

Length	250 cm	8'2"
Width	80 cm	31"
Volume	240 l	
Max press.	0,8 PSI	0,05 BAR
Inflation	7 minutes	
Max load	100 kg	220 lbs
Kayak weight	9 kg (± 0,2)	20 lbs
Set weight	12,5 kg (± 0,2)	27 lbs
Technology	TubeLight	
N° Chambers	3	
Fin	LOCK'N GO 8"	
Valve	RQR Valve (x2) SQR Valve (x1)	
Box dimensions	45,7x63,5x22,9	cm

### **DOUBLE SEAT 10'7"**

Length	325 cm	10'7"			
Width	90 cm	35"			
Volume	350 l				
Max press.	0,8 PSI	0,05 BAR			
Inflation	9 minutes				
Max load	180 kg	396 lbs			
Kayak weight	12 kg (± 0,2)	26 lbs			
Set weight	16,5 kg (± 0,2)	36 lbs			
Technology	TubeLight				
N° Chambers	3				
Fin	LOCK'N GO 8" (x2)				
Valve	RQR Valve (x2) SQR Valve (x1)				
Box dimensions	50,8x67,3x26,7 cm				




### **TECHNICAL FEATURES**






Made of hermetic 1000-denier weft multilayer material to provide the best stiffness/weight ratio. Lateral tubular air chambers with dedicated valves and reinforced anti-abrasion compartment base. Lightweight construction for maximum comfort and performance.

Certified according to the international quality and safety standard ISO 6185-1 III B.









PRODUCT	CODE	
NAMAKA SINGLE SEAT IKAYAK SET RED 8'2"	NC000880	
NAMAKA DOUBLE SEAT IKAYAK SET RED 10'7"	NC011080	







# NAMAKA SINGLE 8'2" SET INCLUDES: Namaka |Kayak 8'2" (x1) MOD4 Paddle (x1) Lock'n Go Skeg Fin 8" (x1) PENTA 901 Bakcpack (x1) Welter Pump (x1) User Manual(x1)

# NAMAKA DOUBLE 10'7" SET INCLUDES: Namaka IKayak 10'7" (x1) MOD4 Paddle (x2) Lock'n Go Skeg Fin 8" (x2) PENTA 90 Backpack (x1) Welter Pump (x1) User Manual (x1)



### **PVC REPAIRING GLUE**



L	.u	U	E			

NZ000400

### DESCRIPTION:

Polyurethane adhesive for pvc pacthes, ideal for puncture repairing.

### SUITABLE FOR:

All Cressi Hydrosports ISUP boards and IKayaks.

### REPAIR KIT



CODE	
NYNNNNN	

Kit composed of PVC patches and HP valve wrench.! GLUE NOT INCLUDED!

### SUITABLE FOR:

All Cressi Hydrosports ISUP boards.

### **BUNGEE CORD**



CODE	
NZOOGEOO	

### DESCRIPTION:

White elastic bungee cord for isup cargo area, 3 meters lenght, 5 mm diameter.

### SUITABLE FOR:

All Cressi Hydrosports ISUP boards.

### **DIVER DOWN FLAG**



CODE	

NT611100

### DESCRIPTION:

Diver down flag + removable flagpole

**SUITABLE FOR:** Tiger Shark Multitask 10'2" ISUP.

### **HATCH COVER**



CODE		
NZ003080		

### DESCRIPTION:

Hatch cover made of sturdy PVC fabric, equipped with mesh pocket and snap hooks for quick fastening at D-Rings.

### SUITABLE FOR:

Tiger Shark Multitask 10'2" ISUP.

### **HP VALVE**



CODE	
NZ000303	

### DESCRIPTION:

High pressure valve with PUSH-PUSH opening, equipped with ergonomic cap and protective mesh filter

### SUITABLE FOR:

All Cressi Hydrosports ISUP boards.

### **ROR VALVE**



CODE	
NZ000301	
DESCRIPTION:	

Double stage RQR (rigid - quick release) valve for low-pressure kayaks; Easy inflation and no air leaks thanks to the large diameter first stage with seal valve, removable second stage for a rapid deflation.

### SUITABLE FOR:

Namaka IKayaks

### **NAMAKA BOW COVER**



CODE		
NZ002080		

Bow and stern hood made of abrasion-resistant Nylon/TPU composite fabric, features a splash guard, carrying handle, and elastic bungee cords to fasten equipment.

### SUITABLE FOR:

Namaka IKavaks

### **COMFY KAYAK SEAT**




CODE	
NZ001075	

Inflatable seat for Cressi kayaks, high paddling comfort thanks to the lumbar support with adjustable straps. Made with durable PVC Nylon covered.

### SUITABLE FOR:

Namaka IKayaks







SPACE-SAVING MODULAR PADDLES

STURDY AND LIGHTWEIGHT MATERIALS

# **PADDLES**

### SUP & KAYAK

NEW 2022

CODE

NZ000700

DESCRIPTION:

SUITABLE FOR:

MOD3 SUP Paddle MOD5 SUP Paddle

Carbon SUP Paddle

Lightness, strength and versatility: these are the key values our collection of paddles seeks to offer. Our designs are created to meet the specific needs of those who go stand-up paddleboarding and kayaking, with a focus on inflatable products and portability.

For this reason, the choice of materials is directed only towards those with high levels of corrosion resistance, lightness, and elasticity such as aluminum, nylon and carbon fiber.

Behind the apparent simplicity hides great attention to detail, aimed at improving performance and

Highlights include: the one-hand height adjustment mechanism, the floating capacity and an easy assembly system.

Finally, modularity is what unites all our paddles, to ensure easy transport and storage within the sets they are supplied in.

SHAFT LOCKING LEVER

Paddle shaft locking lever with stainless steel bolt and self-locking nut.



### **MOD3 SUP PADDLE**

Max Height	215 cm	84"
Min Height	165 cm	64"
Disassembled	89 cm	35"
N° of modules	3	
Materials	Aluminum and Nylon	
Blade dimensions	47x18 cm	18"x7"
Paddle Weight	990 g	
Box dimensions	20x6x90 cn	า

Sturdy and versatile telescopic SUP paddle in 3 modules, suitable for all levels of experience. Floating and adjustable with centering and height notches, one-hand locking

Aluminum handle and stainless button springs, reinforced nylon blade and handle.

All Cressi Hydrosports ISUP boards.



### CODE NM035020



### **MOD5 SUP PADDLE**

Max Height	218 cm	86"
Min Height	185 cm	73"
Disassembled	50 cm	19"
N° of modules	5	
Materials	Aluminum and Nylon	
Blade dimensions	42x20 cm	16"x8"
Paddle Weight	1100 g	
Box dimensions	22x8x52 cm	1

### DESCRIPTION:

Telescopic SUP paddle in 5 modules, designed for those who need to transport it in compact backpacks. Floating and adjustable with centering and height notches, one-hand locking system.

Aluminum handle and stainless button springs, reinforced nvlon blade and handle.

### SUITABLE FOR:

All Cressi Hydrosports ISUP boards.



CODE	
NM055020	





Max Height	215 cm	84"
Min Height	165 cm	64"
Disassembled	90 cm	35"
N° of modules	3	
Materials	Carbon fiber	-
Blade dimensions	48x18 cm	19"x7"
Paddle Weight	650 g	
Box dimensions	22x8x90 cm	า

**DESCRIPTION:**High-performance and lightweight SUP paddle, suitable for long sessions and distances. Floating and adjustable with centering and height notches, one-hand locking system. Carbon fiber handle and blade.

**SUITABLE FOR:** All Cressi Hydrosports ISUP boards.



CODE	
NM075050	



### **MOD4 KAYAK PADDLE**

Max Height	220 cm	86"
Disassembled	65 cm	25"
N° of modules	4	
Materials	Aluminum a	and Nylon
Blade dimensions	44x18 cm	17"x7"
N. of blades	2	
Paddle Weight	1200 g	
Box dimensions	22x8x66 cn	n

**DESCRIPTION:**Lightweight and durable kayak paddle in 4 modules, ideal Lightweight and durable kayak paddle in 4 modules, ideal for all experience levels.
Float with 3-level adjustable inclination, equipped with non-slip grip and drop guard.
Aluminum handle and reinforced nylon blades.

SUITABLE FOR: All Cressi Hydrosports IKayaks.



CODE	
NM143080	



# **SKEG FINS**

**SUP & KAYAK** 

DURABLE NO-TOOLS EASY
MATERIALS REQUIRED ASSEMBLING



### **US SKEG FIN 8"**

Maneuverability	••••
Roll Stability	•••00
Draft	205 mm 8"
Material	ABS
Fin Box	US Fin Box
Locking system	Threaded Pin
Box dimensions	26,5x2x24 cm

### DESCRIPTION:

8" (20 cm) keel fin for SUP and longboard made of sturdy ABS plastic feature a threaded pin for tool-less closure. Ideal for all-round boards, for a better balance between maneuverability and stability.

### SUITABLE FOR:

Element All Round 9'2" ISUP Element All Round 10'2" ISUP Reef Window 10'2" ISUP Fluid All Round 10'2" ISUP Jet Cruise ISUP 11'2" Tiger Shark Multitask 10'2" ISUP Fury Touring 12'2" ISUP Solid All Round 10'6" ISUP Solid Tandem 12'2" ISUP

### SPARE PARTS:

US Skeg Fin Screw



### **US SKEG FIN 9"**

Maneuverability	●●○○○
Roll Stability	••••
Draft	230 mm 9"
Material	Nylon
Fin Box	US Fin Box
Locking system	Threaded Pin
Box dimensions	30x2x28 cm

### DESCRIPTION:

9" (23 cm) keel fin for SUP and longboard made of elastic Nylon plastic feature a threaded pin for tool-less closure. Ideal for touring and race boards to keep straight trajectories and high stability.

### SUITABLE FOR:

Element All Round 9'2" ISUP Element All Round 10'2" ISUP Reef Window 10'2" ISUP Fluid All Round 10'2" ISUP Jet Cruise ISUP 11'2" Tiger Shark Multitask 10'2" ISUP Fury Touring 12'2" ISUP Solid All Round 10'6" ISUP Solid Tandem 12'2" ISUP

### SPARE PARTS:

US Skeg Fin Screw



CODE		
NOØØØØØ8		



CODE	
NOØØØØØ9	





### **US QUICK SKEG FIN 9"**

Maneuverability	●●●○○
Roll Stability	••••
Draft	230 mm 9"
Material	Nylon + TPU (Pads)
Fin Box	US Fin Box
Locking system	Pads
Box dimensions	26,5x2x24,5 cm

### DESCRIPTION:

9" (23 cm) keel fin for SUP and longboard made of elastic Nylon plastic feature the US QUICK system to adjust the intensity of the coupling according to the number of pads placed in the apposite housings.

Ideal for rental boards for a faster in-water entrance and

warehouse storage.

### SUITABLE FOR:

Element All Round 9'2" ISUP Element All Round 10'2" ISUP Reef Window 10'2" ISUP Fluid All Round 10'2" ISUP Jet Cruise 11'2" ISUP Tiger Shark Multitask 10'2" ISUP Fury Touring 12'2" ISUP Solid All Round 10'6" ISUP Solid Tandem 12'2" ISUP

### SPARE PARTS:

US Quick Skeg Fin Fixing Pads



### MINI QUICK SKEG FIN 7"

Maneuverability	••••
Roll Stability	••000
Draft	178 mm 7"
Material	TPU
Fin Box	Mini Quick Fin Box
Locking system	Click
Box dimensions	26x2x19 cm

### DESCRIPTION:

7" (18 cm) keel fin for SUP and longboard made of semi-rigid TPU plastic, feature tool-less MINI QUICK coupling /

Ideal for compact boards with twin-fin configuration for maximum maneuverability.

### SUITABLE FOR:

Element Small All Round 8'2" ISUP Travelight Foldable 9'2" ISUP



### LOCK'N GO SKEG FIN 8"

Maneuverability	••••
Roll Stability	•••00
Draft	205 mm 8"
Material	PA6 + 30% Fiberglass
Locking system	Clip lock
Box dimensions	28x2,5x22,5 cm

### DESCRIPTION:

8" (20 cm) Kayak fin made of PA6 fiberglass reinforced, feature snap closure with safety lock, no tools required.

### SUITABLE FOR:

Namaka IKAYAK 8'2" Single Namaka IKAYAK 10'7" Double







CODE		
N0ØØØ2Ø7		



CODE		
N0ØØØ3Ø8		





### **US SKEG FIN BOX**



PRODUCT	CODE		
US SKEG FIN BOX BLACK	NZ000001		

**DESCRIPTION:**Cressi fin base with US coupling system, made of high-strength polycarbonate to bolster flexion caused by lateral currents.

### SUITABLE FOR:

US Skeg Fin 8" - 9" US QUICK Skeg Fin 9"

### MINI QUICK SKEG FIN BOX



PRODUCT	CODE	
MINI QUICK SKEG FIN BOX BLACK	NZ000000	

**DESCRIPTION:**Cressi fin base with Mini Quick coupling system, ultra compact, ideal for Twin Fin configuration board, no-tools or screw required.

### SUITABLE FOR:

MINI QUICK Skeg Fin 7"

### **US SKEG FIN SCREW**



PRODUCT	CODE		
US SKEG FIN SCREW MISC.	NZ000100		

Thumb screw with flat pin, no-tools required, suitable for Cressi US fin system. Made of stainless steel, sealing o-ring and threaded plate included.

### SUITABLE FOR:

US Skeg Fin 8" US Skeg Fin 9"

### **US QUICK FIN LOCKING PADS**



PRODUCT	CODE		
US QUICK SKEG FIN LOCKING PADS MISC.	NZ000200		

Pads to adjust the intensity of locking friction of US QUICK fins. Add or remove pads to increase or decrease the fin attachment intensity.

### SUITABLE FOR:

US QUICK Skeg Fin 9"



# SQUID

### **FOLDABLE ANCHOR**

Foldable anchor designed for SUPs, kayaks and small inflatable boats. Squid's umbrella structure makes it easy to transport and store. Ideal for sandy, rocky and gravelly bottom conditions.

Kit includes 10 meters of rope with float and backing combiner, padded as a

hooking carabiner, padded case.



PRODUCT	CODE		
SQUID FOLDABLE ANCHOR SET RED 3.5 LBS	NS00000		



ROPE, FLOAT, AND CARABINER INCLUDED

### **TECHNICAL FEATURES**

Length	10 m	32'
Weight	1,6 kg	3.5 lb
Box dimensions	31,6x11,7x10,5 cm	





# **COILED 10'**

### **ISUP ANKLE LEASH**

Extendable coil ankle leash (max 10') which won't get in the way while paddling. Made with TPU core and neoprene anklet with steel insert to withstand the greatest stresses.

Maximum comfort and safety for stand-up paddleboarding.



PRODUCT	CODE	
SUP COILED LEASH GREY/RED 10'	NP001078	
SUP COILED LEASH GREY/BLUE 10'	NP001072	

**TECHNICAL FEATURES** 

NEOPRENE ANKLET

Max. Length	305 cm	10'
Min. Length	100 cm	3'3"
Coil diameter	7 mm	
Ankle circumference	18-30 cm	7.2"- 12"
Box dimensions	8x30x8 cm	1

STURDY TPU DOES NOT IMPEDE CORE COIL DURING PADDLING









ANTI-TEAR ELASTIC CORE

S-SHAPE CARABINERS FOR QUICK LOCKING

ANTI-SINK FLOAT

# **TRAILER 8'**

### **TOWING LEASH**

Leash for towing and mooring SUP boards and Kayaks, made of elastic core coated with a sturdy polyester fabric.

Its composition lets you paddling and towing

without tugs.
Feature quick attachment/release system on both sides thanks to the S-shape carabiners.



PRODUCT	
TRAILER LEASH BLACK/RED 8'	



Max. Length	240 cm	8'
Min. Length	135 cm	4'4"
Carbiner	S-Shape (x	2)
Carbiner dimensions	9x4,5 cm	3.5"x 1.7"





# WELTER

**2000 CC HAND PUMP** 

Welter is the largest capacity Cressi Hydrosports pump. With a volume of 2000 cc, it can inflate a 300 l board in under 10 minutes.

The mechanical selector can be used to set the pump to double or single action, to reduce fatigue when inflating at high pressures.

Equipped with a deflation function, pressure gauge and multiple bayonet connections, it's compatible with all Cressi Hydrosports SUPs and kayaks. Its foldable pedestal and unscrewable handles make Welter compact and easy to store in a backpack.

# CRESSI (S)

PRODUCT	CODE	
WELTER HIGH DRESSLIRE INCLATION HAND DLIMP RLLIE 2000 CC	NPOOOOO	

HIGH PRESSURE PUMP 15 PSI - 1 BAR

**TECHNICAL FEATURES** 

2000 CC - 2 LITERS VOLUME

63 cm	2'
2000 cc	2x2 L
1 kg	2.2 lb
1 Bar	15 PSI
	deflating tion selector
16x11x64 c	m
	2000 cc 1 kg 1 Bar Inflating /

EQUIPPED WITH PRESSURE GAUGE

FOR INFLATE AND DEFLATE





1100 CC VOLUME COMPACT PUMP

PRODUCT

# **FEATHER**

1100 CC HAND PUMP

Compact and lightweight, this 1100 cc pump is specially designed for anyone who needs a high-performance product to be transported in the smallest possible space.
Equipped with inflation/deflation function and mechanical selector for double action (air injection

by both pushing and pulling) or single action for high pressures.

Equipped with folding pedestal, unscrewable handles, pressure gauge and multiple bayonet connections, it's compatible with all Cressi Hydrosports SUPs and kayaks.

### **TECHNICAL FEATURES**

HIGH PRESSURE PUMP 15 PSI - 1 BAR

Height	45 cm	1'5"
Volume	1100 cc	2x1,1 L
Weight	0,8 kg	1.8 lb
Max. Pressure	1 Bar	15 PSI
Features		deflating tion selector
Box dimensions	16x11x46	cm


EQUIPPED WITH PRESSURE GAUGE

FOR INFLATE AND DEFLATE











### **PUMP HOSE + NOZZLES KIT**



CODE

NZ000600



130 cm hose + nozzles kit for Cressi hand pumps, equipped with threaded connection and multi-nozzle bayonet, ideal for ISUPs, kayaks and small inflatables.

SUITABLE FOR: Welter 2000cc hand pump Feather 1100 cc hand pump

NOZZLES KIT SUITABLE FOR: Cressi HP Valve Cressi RQR Valve Cressi SQR Valve

### **15 PSI PRESSURE GAUGE**



CODE

NZ000610

### DESCRIPTION:

Analog manometer for Cressi hand pumps with threaded connection, maximum pressure 15 PSI (1 BAR).

SUITABLE FOR: Welter 2000cc hand pump Feather 1100 cc hand pump





# HORNET 50N NEW 2022

### **NEOPRENE JACKET**

Hornet is the neprene jacket designed to give you an additional thermal protection and maximum comfort during paddling and watersports thanks to the soft and flexible PVC foam, cotated with high quality Cressi neoprene.

The wearability is quick and safe thanks to the frontal zippered opening and the adjustable waist

Hornet jacket is CE certified according to EN ISO 12402-5, buoyancy aid device for performance watersports in sheltered waters and /or in the sea, where help is close at hand. Suitable for swimmers.









PRODUCT	CODE	
HORNET THERMIC NEOPRENE JACKET 50 N MEN BLUE/AZURE XS/1	NG105001	
HORNET THERMIC NEOPRENE JACKET 50 N MEN BLUE/AZURE S/2	NG105002	
HORNET THERMIC NEOPRENE JACKET 50 N MEN BLUE/AZURE M/3	NG105003	
HORNET THERMIC NEOPRENE JACKET 50 N MEN BLUE/AZURE L/4	NG105004	
HORNET THERMIC NEOPRENE JACKET 50 N MEN BLUE/AZURE XL/5	NG105005	
HORNET THERMIC NEOPRENE JACKET 50 N MEN BLUE/AZURE 2XL/6	NG105006	
HORNET THERMIC NEOPRENE JACKET 50 N MEN BLUE/AZURE 3XL/7	NG105007	



| QUICK AND EASY | ADJUSTABLE | ULTRA SOFT | THERMAL | PROTECTION | PROTECTION |









PRODUCT	CODE	
HORNET THERMIC NEOP. JACKET 50 N LADY BLUE/AQUAMARINE XS/1	NG115001	
HORNET THERMIC NEOP. JACKET 50 N LADY BLUE/AQUAMARINE S/2	NG115002	
HORNET THERMIC NEOP. JACKET 50 N LADY BLUE/AQUAMARINE M/3	NG115003	
HORNET THERMIC NEOP. JACKET 50 N LADY BLUE/AQUAMARINE L/4	NG115004	
HORNET THERMIC NEOP. JACKET 50 N LADY BLUE/AQUAMARINE XL/5	NG115005	

### **FEATURES & SIZE CHARTS**

Foam	PVC
Fabric	Neoprene
Features	Front zippered opening Adjustable waist belts



MAN	(1) CHEST	WEIGHT	BUOYANCY
XS	82-88 cm	30-50 kg	40 N
5	88-95 cm	40-60 kg	40 N
M	95-101 cm	50-70 kg	45 N
L	101-107 cm	60-80 kg	50 N
XL	107-114 cm	70+ kg	50 N
2XL	114-120 cm	70+ kg	50 N
3XL	120-127 cm	70+ kg	50 N
MAN	(1) CHEST	WEIGHT	BUOYANCY
XS	32-35 inch	66-110 lbs	40 N
5	35-37 inch	88-132 lbs	40 N
М	37-40 inch	110-154 lbs	45 N
L	40-42 inch	132-176 lbs	50 N
XL	42-45 inch	154+ lbs	50 N
2XL	45-47 inch	154+ lbs	50 N
3XL	47-50 inch	154+ lbs	50 N
LADY	(1) CHEST	WEIGHT	BUOYANCY
VC	02.00.55	20 E0 kg	40 N

LADY	(1) CHEST	WEIGHT	BUOYANCY
XS	82-88 cm	30-50 kg	40 N
5	88-95 cm	40-60 kg	40 N
М	95-101 cm	50-70 kg	45 N
L	101-107 cm	60-80 kg	50 N
XL	107-114 cm	70+ kg	50 N
LADY	(1) CHEST	WEIGHT	BUOYANCY
<b>LADY</b> XS	(1) CHEST 82-88 cm	WEIGHT 30-50 kg	BUOYANCY 40 N
	.,		
XS	82-88 cm	30-50 kg	40 N
XS S	82-88 cm 88-95 cm	30-50 kg 40-60 kg	40 N 40 N

# ANT 50N NEW 2022

QUICK AND EASY WEARABILITY

ADJUSTABLE DURABLE NYLON FABRIC DOUBLE FRONTAL POCKET

 $\epsilon$ 

### **NYLON JACKET**

Ant is the nylon jacket designed not to hamper the shoulders and waist movements and let you stand-up paddleboarding and kayaking comfortly, it's made with only the best and durable materials such as 200 D Nylon fabric that prevent skin abrasion and soft PE foam, thanks to the front zip

opening, adjustable shoulders and chest straps, Ant guarantee a quick and excellent fit. Ant jacket is CE certified according to EN ISO 12402-5, buoyancy aid device for performance watersports in sheltered waters and /or in the sea, where help is close at hand. Suitable for swimmers.

# CRESS!





PRODUCT	CODE	
ANT PADDLING JACKET 50 N BLACK/RED JR	NG005001	
ANT PADDLING JACKET 50 N BLACK/RED S-M	NG005002	
ANT PADDLING JACKET 50 N BLACK/RED M-L	NG005003	
ANT PADDLING JACKET 50 N BLACK/RED L-XL	NG005004	
ANT PADDLING JACKET 50 N BLACK/RED 2XL	NG005006	


### **FEATURES & SIZE CHARTS**

Foam	PE
Fabric	200 D Nylon
Features	Adjustable shoulder straps Front zippered pockets



SIZE	(1) CHEST	WEIGHT	BUOYANCY
Junior	76-86 cm	30-40 kg	35 N
S-M	86-106 cm	40-60 kg	45 N
M-L	106-116 cm	60-80 kg	50 N
L-XL	116-127 cm	70+ kg	50 N
2XL	127+ cm	70+ kg	50 N
SIZE	(1) CHEST	WEIGHT	BUOYANCY
<b>SIZE</b> Junior	(1) CHEST 30-34 inch	WEIGHT 66-88 lbs	BUOYANCY 35 N
	.,		
Junior	30-34 inch	66-88 lbs	35 N
Junior S-M	30-34 inch 34-42 inch	66-88 lbs 88-110 lbs	35 N 45 N





# **SHIELD**

### **RASHGUARD T-SHIRT**

Cressi Shield Rash Guard are designed for all water sports. The composition of the fabric enables the clothes to dry very quickly and provide protection from harmful UV rays.

The elasticity of these rash guards and the flat seams offer complete comfort during movement, while maintaining excellent resistance to any abrasions caused by rubbing in the water.







PRODUCT	CODE	
SHIELD MAN RASH GUARD SHORT/SL WHITE/BLUE 2XS/0	NH000000	
SHIELD MAN RASH GUARD SHORT/SL WHITE/BLUE XS/1	NH000001	
SHIELD MAN RASH GUARD SHORT/SL WHITE/BLUE S/2	NH000002	
SHIELD MAN RASH GUARD SHORT/SL WHITE/BLUE M/3	NH000003	
SHIELD MAN RASH GUARD SHORT/SL WHITE/BLUE L/4	NH000004	
SHIELD MAN RASH GUARD SHORT/SL WHITE/BLUE XL/5	NH000005	
SHIELD MAN RASH GUARD SHORT/SL WHITE/BLUE 2XL/6	NH000006	
SHIELD MAN RASH GUARD SHORT/SL WHITE/BLUE 3XL/7	NH000007	
SHIELD MAN RASH GUARD SHORT/SL WHITE/BLUE 4XL/8	NH000008	












PRODUCT	CODE	
SHIELD LADY RASH GUARD SHORT/SL WHITE/AQUAMARINE 2XS/0	NH000010	
SHIELD LADY RASH GUARD SHORT/SL WHITE/AQUAMARINE XS/1	NH000011	
SHIELD LADY RASH GUARD SHORT/SL WHITE/AQUAMARINE S/2	NH000012	
SHIELD LADY RASH GUARD SHORT/SL WHITE/AQUAMARINE M/3	NH000013	
SHIELD LADY RASH GUARD SHORT/SL WHITE/AQUAMARINE L/4	NH000014	
SHIELD LADY RASH GUARD SHORT/SL WHITE/AQUAMARINE XL/5	NH000015	
SHIELD LADY RASH GUARD SHORT/SL WHITE/AQUAMARINE 2XL/6	NH000016	

#### **FEATURES & SIZE CHARTS**

Sleeve	Short sleeve	
Collar	MId-collar	
Composition	92% Nylon - 8% Spandex	
UV Protection	50 +	
Box dimensions	25x5x10 cm	



MAN	(1) CHEST	(2) LENGTH
2XS	36 cm (14 inch)	54 cm (21 inch)
XS	40 cm (16 inch)	57,5 cm (23 inch)
5	40 cm (16 inch)	59 cm (23 inch)
М	45,5 cm (18 inch)	62 cm (24 inch)
L	48,8 cm (19 inch)	66 cm (26 inch)
XL	52,5 cm (21 inch)	67,5 cm (27 inch)
2XL	55,5 cm (22 inch)	70,5 cm (28 inch)
3XL	58 cm (23 inch)	73,5 cm (29 inch)
4XL	60,5 cm (24 inch)	76 cm (30 inch)
LADV	(1) CUEST	(2) I ENGTH

LADY	(1) CHEST	(2) LENGTH
2XS	35 cm (14 inch)	50 cm (20 inch)
XS	38 cm (15 inch)	54 cm (21 inch)
S	40,5 cm (16 inch)	56,5 cm (22 inch)
М	42 cm (17 inch)	56,5 cm (22 inch)
L	43,5 cm (17 inch)	59 cm (23 inch)
XL	44 cm (17 inch)	61 cm (24 inch)
2XL	45,7 cm (18 inch)	63,5 cm (25 inch)



# **ARMOR**

#### **RASH GUARD SHORTS**

Cressi Armor are designed for all water sports. The composition of the fabric enables the clothes to dry very quickly and provide protection from harmful UV rays.

The elasticity of these rash guards and the flat seams offer complete comfort during movement, while maintaining excellent resistance to any abrasions caused by rubbing in the water.







PRODUCT	CODE	
ARMOR RASH GUARD SHORTS MAN BLACK XS/1	NH010001	
ARMOR RASH GUARD SHORTS MAN BLACK S/2	NH010002	
ARMOR RASH GUARD SHORTS MAN BLACK M/3	NH010003	
ARMOR RASH GUARD SHORTS MAN BLACK L/4	NH010004	
ARMOR RASH GUARD SHORTS MAN BLACK XL/5	NH010005	
ARMOR RASH GUARD SHORTS MAN BLACK 2XL/6	NH010006	
ARMOR RASH GUARD SHORTS MAN BLACK 3XL/7	NH010007	
ARMOR RASH GUARD SHORTS MAN BLACK 4XL/8	NH010008	











CODE	
NH010011	
NH010012	
NH010013	
NH010014	
NH010015	
NH010016	
	NH010011 NH010012 NH010013 NH010014 NH010015

#### **FEATURES & SIZE CHARTS**

Composition	92% Nylon - 8% Spandex	
<b>UV Protection</b>	50 +	
Box dimensions	<b>5</b> 25x5x10 cm	



(1) WAIST 5,2 cm (25 inch)	(2) LENGTH 51,7 cm (20 inch)
5,2 cm (25 inch)	E17 cm (20 inch)
	51,7 (111 (20 111(11)
5,9 cm (26 inch)	52,2 cm (20 inch)
3,6 cm (27 inch)	52,9 cm (20 inch)
1,6 cm (28 inch)	54,2 cm (21 inch)
4,5 cm (29 inch)	55,9 cm (22 inch)
7,4 cm (30 inch)	57,6 cm (22 inch)
0,5 cm (31 inch)	59 cm (23 inch)
3.5 cm (32 inch)	61 cm (24 inch)
	3,5 cm (32 inch)

LADY	(1) WAIST	(2) LENGTH
XS	59,7 cm (23 inch)	43,6 cm (17 inch)
5	62,7 cm (24 inch)	45,6 cm (18 inch)
М	65,7 cm (25 inch)	47 cm (18 inch)
L	69,7 cm (27 inch)	49,3 cm (19 inch)
XL	73,7 cm (29 inch)	51,6 cm (20 inch)
2XL	77,7 cm (30 inch)	53,9 cm (21 inch)







# **EQUIPMENT BACKPACKS**

**ISUP & IKAYAK TRANSPORT** 

Cressi Hydrosports backpacks for carrying equipment are designed with only the best materials and components, to ensure durability and comfort.

Available in three different sizes to fit different sets, they feature adjustable shoulder straps with chest support straps, internal straps to secure and

gather equipment, a mesh bottom for ventilation, and a practical front pocket for small parts and accessories.

The generous zip lets a full front opening, making it easy to put equipment inside.



# CRESSI PENTA 99 PENTA 99 BACKPACK

# EXAINS BACK BACK

#### **TERA 60 LITERS**

Height	52 cm	21"	
Width	40 cm	16"	
Depth	27 cm	11"	
Box dimensions	25x50x17 cm		

SUITABLE FOR:

Travelight Foldable 9'2" ISUP

Height	75 cm	30"
Width	45 cm	18"
Depth	27 cm	11"
Box dimensions	25x50x17 cm	

SUITABLE FO

Namaka IKAYAK 8'2" Single Namaka IKAYAK 10'7" Double

Height	95 cm	38"
Width	45 cm	18"
Depth	27 cm	11"
Box dimensions	25x50x17 cm	


SUITABLE FOR:

Element 8'2" - 9'2" - 10'2" ISUP Reef Window 10'2" ISUP Fluid All Round 10'2" ISUP Jet Cruise 11'2" ISUP Tiger Shark Multitask 10'2" ISUP Fury Touring 12'2" ISUP

CODE	
NW001250	



CODE	
NW009050	







EASY ISUP ATTACHMENT

ROLLTOP + DRY ZIP CLOSURES

# **SPIDY**

#### **DRY DECKPACK 25 LITERS**

Spidy 25L Dry Deckpack born from the desire to create a waterproof backpack that can be comfortably carried on water during paddling activities. Spidy deckpack features adjustable straps with snap hooks, which can be hooked to the D-rings of each SUP boards from our collection.

The backpack is completely waterproof and can be opened and closed in two different ways: from the top side, thanks to the large opening with strap for watertight closure, or from the bottom by the practical dry zip that surrounds the backpack's

structure. The lower hinged opening is especially useful during paddling, whent Spidy is fastened at the board, as it lets you easily access the inside of the deckpack without having to unroll the upper opening. The front of the backpack has a bungee rope to storage equipment, while the side has a utility pocket.

The back and the adjustable padded shoulder straps, combined with the chest strap, make the Spidy a pratical, comfortable and roomy backpack, ideal for all water activities.

#### **TECHNICAL FEATURES**

- · Dry backpack
- Rolltop closure + Dry zip bottom
- · Sturdy polyester coated PVC fabric
- Seamless stitching technology
  Padded shoulder straps

- Padded Silvatura Strap
  25 L capacity
  External mesh pocket
  Front Bungee cord
- · Snap hooks for D-Rings fastening

**Box dimensions** 50x7x45 cm









PRODUCT	CODE	
SPIDY DRY DECKPACK BLACK 25 L	NW022550	















DRY EASY ISUP COOLERBAG ATTACHMENT

12 H THERMAL INSULATION

## **FREEZY**

#### **DRY COOLERBAG 15 LITERS**

Semi-rigid and fully waterproof cooler bag equipped with adjustable straps with carabiners on his front and back side, designed for an easy attachment at the board deck D-rings. Freezy maintains the temperature of food and drinks for about 12 hours thanks to his thick

insulating layer, the exclusive watertight zip ensure your food and drinks from outside contacts. Equipped with a practical front pocket, adjustable shoulder strap, padded handles and practical bungee cords on the top.



#### **TECHNICAL FEATURES**

- · Dry coolerbag
- · 12 hours thermal insulation
- · Dry zip closure
- Semi-rigid structure
   Seamless stitching technology
   Adjustable shoulder strap
   15 L capacity
   External pocket

- · Top Bungee cord area
- · Snap hooks for D-Rings fastening

Box dimensions 36x36x30 cm




















BUOYANCY UP TO 200 GRAMS

NEOPRENE ARMBAND INCLUDED

# **FLOAT CASE**

#### FLOATING DRY PHONE CASE

Float Case is the floating waterproof phone case from Cressi Hydrosports collection. Designed to fit smartphones with screens up to 6" and a maximum weight of 200 g.

The inner foam frame is designed to let you take photos from both camera of any phone, thanks to his closed cell material it prevents your smartphone from sink and absorbs the shocks from accidental fallings

Float Case allows excellent interaction with touch screens function and does not impede during voice

The waterproofness feature is ensure by the rolltop velcro closure and the inner pressure lock zip, tested to IPX7 standard with no ingress of water result.

Float Case is equipped with a practical adjustable neck cord and soft neoprene arm band.

#### **TECHNICAL FEATURES**

- · Waterproof IPX7 phone case
- · Floating case, weight up to 200 g
- · Rolltop velcro closure + dry zip
- Semi-rigid structure
- Touchscreen function supported
- Suitable for device with screen up to 6"
  neoprene armband and neck cord included

11x4x24,5 cm **Box dimensions** 







PRODUCT	CODE		
FLOAT CASE FLOATING DRY PHONE CASE BLACK 6"	NW200650		

#### **FLOATING KEYCHAIN RED**



PRODUCT	CODE	
FLOATING KEYCHAIN RED	NY000080	

#### DESCRIPTION:

Floating foam keychain with snap hook, (no inflation needed).

#### CRESSI HYDROSPORTS TOTEM NEW 2022



PRODUCT	CODE	
HYDROSPORTS DISPLAY TOTEM 160X70X60CM	NTOTEMHY01	

#### DESCRIPTION

Cressi Hydrosports interior display totem, triangular base, 160 x 70 x 60 cm.

#### ISUP MATERIALS BOOK NEW 2022



PRODUCT	CODE	
HYDROSPORTS ISUP MATERIALS BOOK	NMATBK1	

#### DESCRIPTION

ISUP compositions and technology book, with materials description and samples.



# **BANNERS AND FLAGS**

#### **CRESSI SINCE 1946**

Cressi banners and flags are the ideal support for retailers and events. Three different dimensions and shapes for every need. The choice of the new colours reinforces our corporate image.



BANNER FLAG 350 X 60 CM






**RECTANGLE FLAG** 150 X 90 CM


POLE LENGTH: 340 CM


PRODUCT	CODE
RECTANGLE FLAG 150x90 CM	VABANCR01
BANNER FLAG 350x60 CM	VABANCR02
WING FLAG 60x240 CM	VABANCR03











# #SHARE YOUR EXPERIENCE

FOLLOW US

### Official Website

www.cressi.com

#### **Official Social Media**

#### Facebook

Cressigear Cressi.scuba.freediving Cressi.spearfishing Cressi.hydrosports

#### Instagram

Cressi 1946 Cressi Scuba & Freediving Cressi Spearfishing Cressi Hydrosports

#### Youtube

Cressi

#### Twitter

Cressiltaly





#### CRESSI SINCE 1946

Cressi Sub S.p.A. Headquarters: Via G. Adamoli, 501 16165 Genova, Italy



SKU: VPCAHYD2022

MADE IN ITALY

SREF: 605188

10026 10787

© Cressi Sub S.p.A.. All rights reserved. Reproduction, scanning, transmittal or storage, by any means, of the images in this catalog, whole or in part, is prohibited without the prior written permission of Cressi Sub S.p.A.

